



MIGHTYLIFT™



“MANUFACTURERS OF WIRE DECK AND MATERIAL HANDLING EQUIPMENT”

- Modern Day Plants & Machinery
- State of the Art Engineering
- Capacity to Handle Big Orders
- Multiple Distribution Locations
- Built for North American Market
- Meets ISO 9000 Standards

Features & Benefits



- *Best Value in The Industry*
- *Easy Installation and Maintenance Free*
- *Meets all Fire and Safety Codes*
- *Improves Visibility Throughout Facility*
- *Great Flexibility In Storing Variety of Products*

- *Galvanized after Weld No Rust!*
- *Zinc Plated to Brighten Your Warehouse*
- *Crisscross Mesh Design Multiple Grid Sizes*
- *All Styles and Sizes Available*
- *Custom Designs on Request*
- *Excellent Quality Control Standards*






- *Quick Response to Price Requests*
- *Immediate Shipment From Multiple Sites*
- *Hugh Inventory of All Common Sizes*
- *Deep Freight Discount On Volume Shipments*

Standard Specifications

- Rectangular Mesh Pattern
- Galvanized Zinc Plated
- 3 or 4 Channels per Deck
- 13 or 14 Gauge Support Material
- 4 Gauge Wire Construction
- Standard 2.5 X 4.5 Grid Size
- 1.5 Inch Front & Back Waterfall
- Multiple Channel Designs

Part No.	Cap. (Lbs)	Deck Size	Channel		Wire		Quantity Per Container
			Style (Number)	Gauge	Grid (Inches)	Gauge	
WD2446F-313-A4	2500	24 X 46	Flare (3)	13	2.5 X 4.5	4	2,744
WD3646F-313-A4	2500	36 X 46	Flare (3)	13	2.5 X 4.5	4	2,142
WD3652F-313-A4	2500	36 X 52	Flare (3)	13	2.5 X 4.5	4	1,836
WD3658F-313-A4	2500	36 X 58	Flare (3)	13	2.5 X 4.5	4	1,632
WD4246F-313-A4	2500	42 X 46	Flare (3)	13	2.5 X 4.5	4	1,960
WD4246U-313-A4	2500	42 X 46	U (3)	13	2.5 X 4.5	4	1,960
WD4252F-313-A4	2500	42 X 52	Flare (3)	13	2.5 X 4.5	4	1,530
WD4258F-313-A4	2500	42 X 58	Flare (3)	13	2.5 X 4.5	4	1,334
WD4846F-414-A4	2500	48 X 46	Flare (4)	14	2.5 X 4.5	4	1,530
WD4852F-414-A4	2500	48 X 52	Flare (4)	14	2.5 X 4.5	4	1,260
WD4858F-414-A4	2500	48 X 58	Flare (4)	14	2.5 X 4.5	4	982

Standard Features		
		
Standard Flare (F)	U-Channel (U)	Finish
<i>Adapts to either standard Step Or Structural Box Beams</i>	<i>U-Channel with Outside Waterfall - Used with 1-1/2" or 1-5/8" step beams</i>	<i>Galvanized after weld – Coated Finish available upon request</i>
Optional Designs Available		
<ul style="list-style-type: none"> • U-Channel with Inside Waterfall (I) – Provides added strength without beam obstruction • Flush U-Channel (H) for use with Step Beams – Provides flat deck/beam surface and no Waterfall • Inverted U-Channel (V) – For applications that require clean environment – Used with Step Beams • Optional Sizes and Capacities available upon request 		
<p><i>Note: The above listed sizes are normally in stock ready for immediate shipment. Depending on availability container quantities may be shipped out of existing inventory or shipped directly from the factory to the customer's warehouse location.</i></p>		

Quality You Can Count On!

MIGHTYLIFT™

More Great
Products



Pallet Jacks

5,500 Lbs. Capacity with standard lengths from 36" to 60" and widths of 20-1/2" or 27" - 2.9" Lowered Height



Low Profile Jacks

Models available for special low profile pallets or the handling of 4-Way grocery pallet.



Stainless Steel

Meets requirement of food, medical and pharmaceutical industries. Longer life in wet applications.



Hi-lift Pallet Jack

Ergonomic and efficient pallet truck and lift table all in one.



Scale Pallet Jacks

Weights load on the spot with maximum convenience and efficiency.



Lift Tables

Elevates and transports load between work stations ergonomically and efficiently.



Casters

Industrial rated. Available in wide variety of sizes and styles. Sold by the carton or in containers.



Hand Trucks

High quality, industrial rated trucks. Can be furnished with pneumatic or trouble free wheels.



Wheels

Solid, pneumatic or trouble free design complete with precision bearings.

MIGHTYLIFT™

Toll Free: (877) 916-7600
7241 Clinton Drive

Fax: (713) 668-1965
Houston, TX 77020

www.mightylift.com

www.ml-wiredeck.com